

Prüfbericht 366-0531-15-WIRD/N2
zur Erteilung eines Nachtrags zur ECE (E1) 124R- 000827

ANLAGE: 9.11
 Hersteller: MW Aftermarket Srl

Radtyp: 15604100-23
 Stand: 19.01.2016



Seite: 1 von 3

Manufacturer : OPEL / VAUXHALL

Wheel dates:

Wheel size according to standard : 6 J X 15 H2 Off set(mm) : 39
 Hole circle (mm)/number of holes : 100/4 centering type : centering fixed

Technical dates, short form

version	Version name		Centering hole (mm)	Centering material	Permissible wheel Load (kg)	Permissible rolling Circumference (mm)	Valid from Production date
	Wheel identification	Centering identification					
R1-1648	R1-1648	Without	56,5		478	1897	47/14

In built-up vehicle safety and / or environment-related vehicle systems (such as tire pressure monitoring systems) must remain functional or replaced.

Scope/Vehicle Manufacturer : OPEL / VAUXHALL

Mounting parts : conical collar bolt M12x1,5, tapered thread 60 Grad

Tightening torque for fixing parts : 110 Nm

commercial type: **CORSA**

Vehicle type	Approval	kW	Tires	Restrictions of tires	Restrictions
GMIB	e50*2001/116*0001*..	55 -66	185/60R15 84 M+S		1); 2); 33)
			185/65R15 88		
			185/65R15 88 M+S		
			195/60R15 88		
GMIB	e50*2001/116*0001*..	59	185/60R15 M+S		1); 2); 33)
			185/65R15		
			185/65R15 M+S		
			195/60R15		
		66	185/60R15 M+S		
			185/65R15		
			185/65R15 M+S		
			195/60R15		

commercial type: **CORSA, CORSA-E, ADAM**

Vehicle type	Approval	kW	Tires	Restrictions of tires	Restrictions
S-D	e1*2001/116*0379*..	51 -74	185/60R15 84 M+S		1); 2); 33)
			185/65R15 88		
S-D	e1*2001/116*0379*..	51 -74	185/60R15 M+S		*); Adam; 1); 2); 33)
			185/65R15		
		51 -85	185/60R15		

Prüfbericht 366-0531-15-WIRD/N2
zur Erteilung eines Nachtrags zur ECE (E1) 124R- 000827

ANLAGE: 9.11
 Hersteller: MW Aftermarket Srl

Radtyp: 15604100-23
 Stand: 19.01.2016



Seite: 2 von 3

commercial type: **CORSA, CORSA-E, ADAM**

Vehicle type	Approval	kW	Tires	Restrictions of tires	Restrictions
S-D	e1*2001/116*0379*..	44 -74	185/60R15 84		1); 2); 33)
			M+S		
			185/65R15 88		
		195/60R15 88			
		51 -74	185/60R15 88		
		M+S			
55 -74	185/60R15 88				
			185/65R15 88		
			M+S		

commercial type: **CORSA VAN**

Vehicle type	Approval	kW	Tires	Restrictions of tires	Restrictions
S-D/V	e50*2007/46*0055*..	55	185/60R15 M+S		*); CORSA VAN; up to to e50*2007/46*0055*04; Front wheel drive; 1); 2); 33)
			185/65R15		
			195/60R15		

commercial type: **CORSA VAN, CORSA, CORSA-E VAN, CORSA-E**

Vehicle type	Approval	kW	Tires	Restrictions of tires	Restrictions
S-D/VAN	e1*2007/46*0505*..	48 -63	185/60R15 84		1); 2); 33)
			M+S		
		48 -70	185/65R15 88		
		195/60R15 88			
		51 -70	185/65R15 88		
			M+S		
55 -70	185/60R15 88				
			M+S		

commercial type: **CORSA-E**

Vehicle type	Approval	kW	Tires	Restrictions of tires	Restrictions
S-D/V	e50*2007/46*0055*..	51 -66	185/65R15		*); CORSA-E; from e50*2007/46*0055*05; Front wheel drive; 1); 2); 33)

commercial type: **CORSA-E VAN**

Vehicle type	Approval	kW	Tires	Restrictions of tires	Restrictions
S-D/VAN	e1*2007/46*0505*..	51 -70	185/65R15		*); CORSA-E VAN; from e1*2007/46*0505*09; Front wheel drive; 1); 2); 33)

*) The remarks under the listed restrictions/conditions are to be kept. Furthermore only the vehicles (trade name or trademark listed in the conditions) are covered which are also listed in the field of applications.

Restrictions

- 1) To be kept:
 - the standard wheel size and offset.

Prüfbericht 366-0531-15-WIRD/N2

zur Erteilung eines Nachtrags zur ECE (E1) 124R- 000827

ANLAGE: 9.11

Hersteller: MW Aftermarket Srl

Radtyp: 15604100-23

Stand: 19.01.2016



Seite: 3 von 3

- tyre size with service description (load and speed index) and tyre brand commitments
 - as well as limitations to snow tyres (M+S) from the car documents.
 - requirements and limitations of snow chains from the operating licence and the operation manual.
- 2) Only permissible at vehicle models, which are allowed to use steel wheels as standard.
- 33) The standard fixing parts and accessories of the vehicle manufacturer for the corresponding series-wheel must be used.